

Supplemental Material

© Copyright 2021 American Meteorological Society (AMS)

For permission to reuse any portion of this work, please contact permissions@ametsoc.org. Any use of material in this work that is determined to be "fair use" under Section 107 of the U.S. Copyright Act (17 USC §107) or that satisfies the conditions specified in Section 108 of the U.S. Copyright Act (17 USC §108) does not require AMS's permission. Republication, systematic reproduction, posting in electronic form, such as on a website or in a searchable database, or other uses of this material, except as exempted by the above statement, requires written permission or a license from AMS. All AMS journals and monograph publications are registered with the Copyright Clearance Center (https://www.copyright.com). Additional details are provided in the AMS Copyright Policy statement, available on the AMS website (https://www.ametsoc.org/PUBSCopyrightPolicy).

Table S1. Mean values of rainfall strength calculated using radius thresholds of 100 (RS100), 150 (RS150), and 200 (RS200) km, and correlation coefficients between them.

		RS100	RS150	RS200
TRMM	Mean (mm h ⁻¹)	4.21	3.50	2.88
	Correlation with RS150	1	0.94	0.85
	Correlation with RS200	0.94	1	0.97
IMERG	Mean	5.28	4.31	3.46
	Correlation with RS150	1	0.94	0.84
	Correlation with RS200	0.94	1	0.96

Fig. S1. Correlation coefficients between rainfall strength (RS) and the seven environmental variables plus Vmax. The F3, F5, F7, and F10 indicate results when 3-, 5-, 7-, and 10-days low-pass filtering was applied to environmental conditions, respectively. The R5, and R10 indicate results when 500- and 1,000-km-radius thresholds were applied to environmental conditions, respectively.




Fig. S2. As in Fig. S1, but for the rainfall area (RA).




Fig. S3. As in Fig. 1, but for the strong tropical cyclones (above category 1; blue color). Tropical cyclones in the tropical storm stage are displayed in gray.

